

??????

□□□□

```
-- □□□□□□□□□□□□□□□□□□□□
SELECT USERNAME FROM DBA_USERS;
-- □□□□□□□□□□□□□□□□□□□□
SELECT USERNAME, PASSWORD FROM DBA_USERS;
-- □□□□□□□□□□□□□□□□□□□□
SELECT * FROM V$PARAMETER WHERE NAME= 'PWD_POLICY';
-- □□□□□□□□□□□□□□□□□□□□
-- subtype$□□□□□□
SELECT
    so.NAME AS "□□□□□□□□",--□□□□□□□□so □ SYSOBJECTS □□□□□□□□ JOIN SYSOBJECTS so □□□□
    su.FAILED_NUM AS "□□□□□□",--su □ SYSUSERS □□□□□□□□ FROM SYSUSERS su □□□□
    su.FAILED_ATTEMPS AS "□□□□□□",
    su.LOCK_TIME AS "□□□□□□min□"
FROM SYSUSERS su
JOIN SYSOBJECTS so ON su.ID = so.ID
WHERE so.SUBTYPE$ = 'USER';
-- □□□□□□□□□□□□□□□□□□□□
SELECT PROFILE, RESOURCE_NAME, LIMIT
FROM DBA_PROFILES
WHERE RESOURCE_NAME IN ('CONNECT_TIME', 'CONNECT_IDLE_TIME');
-- □□□□□□
SELECT USERNAME FROM DBA_USERS;
-- □□□□/□□□□□□□□□□□□
SELECT * FROM DBA_SYS_PRIVS ORDER BY GRANTEE;
-- □□□□/□□□□□□□□□□□□
SELECT * FROM DBA_SYS_PRIVS WHERE GRANTEE = 'SYSDBA';
-- □□□□□□□□□□□□□□□□□□□□
SELECT * FROM V$DM_INI WHERE PARA_NAME='ENABLE_AUDIT';
-- □□ENABLE_AUDIT□□□□□□□□□□□□□□□□
select * from V$AUDITRECORDS□
-- □□□□□□□□□□□□□□□□□□□□
SELECT * FROM V$PARAMETER WHERE NAME = 'AUDIT_FILE_FULL_MODE';
-- □□□□□□□□□□□□
```

```

Select A.allow_addr,A.not_allow_addr,A.allow_dt,A.not_allow_dt,B.USERNAME from SYSUSERS A
,DBA_USERS B WHERE A.ID=B.USER_ID;

-- 检查 V$PARAMETER 中 ENABLE_ENCRYPT 参数
SELECT * FROM V$PARAMETER WHERE NAME='ENABLE_ENCRYPT';

-- 检查 V$PARAMETER 中 COMM_ENCRYPT_NAME 参数
SELECT * FROM V$PARAMETER WHERE NAME='COMM_ENCRYPT_NAME';

-- 检查 SF_GET_ENCRYPT_NAME 函数
select SF_GET_ENCRYPT_NAME();

-- 检查 DBA_TABLESPACES 中的 ENCRYPTED 列
SELECT TABLESPACE_NAME, ENCRYPTED FROM DBA_TABLESPACES;

-- 检查 DBA_ENCRYPTED_COLUMNS 表
SELECT * FROM DBA_ENCRYPTED_COLUMNS;

```

□□□□

Revision #2

Created 1 September 2025 08:22:48 by □□

Updated 1 September 2025 09:35:44 by Forest